




PRODUCT SPECIFICATION

※ Features:

- ◇ More Energy Efficient than incandescent and most halogen lamps
- ◇ Long operating life
- ◇ Low forward voltage operated
- ◇ Instant light (less than 100ns)
- ◇ No UV

※ Outline Dimensions



REVISION	ECN/ECR INFORMATION	TITLE:	SHEET No.
A	ECN NO. DATE	100W Multichips High power LED	1 of 3
P/N#: VL-H05W5510080D55	CREATED By	CHECKED By	APPROVED BY



PRODUCT SPECIFICATION

※ Absolute Maximum Ratings at Ta=25°C:

Parameter	Symbol	Maximum	Unit
Power Dissipation	Pd	100	W
Peak Forward Current (1/10 Duty Cycle, 0.1ms Pulse Width)	IF(peak)	5000	mA
Continuous Forward Current	IF	3200	mA
Reverse Voltage	VR	24	V
Operating temperature range	Topr	-20°C to + 60°C	
Storage Temperature Range	Tstg	-20°C to + 60°C	
Lead Soldering Temperature [1.6mm (0.63") from body]	260°C for 5 Seconds		

※ Electrical/Optical Characteristics at Ta=25°C:

Parameter	Symbol	Test Condition	Min.	Typ.	Max.	Unit
Luminous flux	ϕ	IF=3200mA	7000	8000	9000	Lm
Viewing Angle	2 θ 1/2	IF=3200mA	110	115	120	deg
Forward Voltage	V _F	IF=3200mA	30	33	36	V
Reverse Current	I _R	VR=24V			50	uA
Color Rendering Index Calculation	Spm	X	0.29		0.32	
	Spm	Y	0.31		0.33	
Correspondingly	CCT	IF=3200mA	5000	5500	6000	K

REVISION A	ECN/ECR INFORMATION ECN NO. DATE	TITLE: 100W Multichips High power LED	SHEET No. 2 of 3
P/N#: VL-H05W5510080D55	CREATED By	CHECKED By	APPROVED BY



PRODUCT SPECIFICATION

※Typical Electrical/Optical Characteristics Curve: (25°C Ambient Temperature Unless Otherwise Noted)

Fig1. Relative Intensity vs. Wavelength




Fig2. Forward Current vs. Forward Voltage




Fig3. Forward Current vs. Relative Intensity





Fig4. Forward Voltage vs. Temperature



※Cautions:

Used this products , your may put the POWER LED lose hot chips and touch the lose hot install or enlarge the lose hot condition , so that when the lighting ,the products can lose hot , make sure that the lighting and long lifespan .

REVISION A	ECN/ECR INFORMATION ECN NO. DATE	TITLE: 100W Multichips High power LED	SHEET No. 3 of 3
P/N#: VL-H05W5510080D55	CREATED By	CHECKED By	APPROVED BY